# SAFETY DATA SHEET



**NFPA** 



**HMIS** 

Health Hazard	0
Fire Hazard	1
Reactivity	0

Issuing Date December 1-2016 Revision Date same Revision Number 0

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name L-605-SB Aero Flow HD Motor Oil (Synthetic Blend)

(SAE- 20W50)

**Product Code** 

**Recommended Use** 

Manufactured by: Baton Rouge Ind.

5319 Groom Rd. Baker La. 70714

Phone: 1-800-232-0334

**Emergency Telephone Number** CHEMTREC

1 (800) 424-9300

# 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

Appearance Clear light yellow liquid Physical State Liquid Odor Mild petroleum odor

**Potential Health Effects** 

Principal Routes of Exposure Eye contact, Skin contact, Inhalation, Ingestion

**Acute Toxicity** 

**Eyes** Practically non- irritating to the eye upon direct contact.

**Skin** Minimally irritating upon direct contact.

**Inhalation** Low hazard at standard temperatures and pressures. Inhalation of oil mist or

fumes can cause irritation of the nose, throat and upper respiratory tract

**Ingestion** Do not ingest. May cause nausea, vomiting/diarrhea.

Other

**Chronic Effects** Prolonged exposure may cause chronic effects.

**Aggravated Medical Conditions** Personnel with pre-existing skin disorders should avoid contact with this product.

**Environmental Hazard** See Section 12 for additional Ecological Information.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula Mixture

Chemical Name	CAS-No	Weight %
Severely Refined, Paraffinic Oil	8042-47-5	90-100
Proprietary additive	Mixture	5-15

## 4. FIRST AID MEASURES

**Eye Contact** Flush with large amounts of water for 15 minutes. Get medical attention if eye irritation

develops or persists.

Skin Contact Wash with soap and water. Remove contaminated clothes and wash before reuse. Get

medical attention if skin discolor develops.

**Inhalation** This material is not expected to present an inhalation exposure at ambient conditions

**Ingestion** No harmful effects reported from ingestion.

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Flammable Properties flammable.

Flash Point 425°F

**Suitable Extinguishing Media** Water Fog. Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical.

**Unsuitable Extinguishing Media**Water stream may spread fire.

Hazardous Combustion Products Decomposition and combustion products may include

smoke, carbon dioxide, carbon monoxide, and other low

molecular weight hydrocarbons.

**Explosion Data** 

Sensitivity to Mechanical Impact Not sensitive.
Sensitivity to Static Discharge Not sensitive.

Protective Equipment and Precautions for Firefighters Wear positive pressure self-contained breathing

apparatus (SCUBA). Use water to cool containers exposed to flames. Structural firefighters' protective clothing will only provide limited protection. Mist or sprays may be flammable below the product normal flash point.

NFPA Health Hazard 0 Flammability 1 Reactivity 0 Physical and Chemical Hazards

6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions**Use personal protective equipment. Avoid contact with skin, eyes, and clothing.

Ensure adequate ventilation.

**Methods for Containment** Dike far ahead of liquid spill for later disposal.

Methods for Cleaning Up Pick up free liquid for recycle and/or disposal. Residual liquid and/or solid can be

absorbed on inert material.

**Evacuation Procedures** 

Large Spill Fire

Consider initial downwind evacuate for at least 1500 feet.

If tank, rail car or tank car is involved in a fire, isolate for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions.

Reporting Requirements Spills that enter a water body must be reported immediately to the USEPA's National

Response Center at (800)546-2972. Check with your local and state regulators

regarding their reporting requirements.

7. HANDLING AND STORAGE

Protect Measures Put on appropriate personal protective equipment

Handling Do not pressure, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame,

sparks, static electricity, or other sources of ignition; they may explode. See NFPA 30 and

OSHA 1910.106 - flammable and combustible liquids.

Storage Store away from heat, sparks, open flame, or strong oxidizing agents in closed and properly

labeled containers. Empty containers retain product residue (liquid, and/or vapor) and can be

dangerous

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Severely Refined, Parffinic	5 mg/m³	5 mg/m³	2,500 mg/m <sup>3</sup>
Oil		_	
8042-47-5			

Engineering Measures Additional area ventilation or local exhaust may be required to maintain air

concentrations below recommended limits.

Personal Protective Equipment

Eye/Face Protection Safety glasses or face shield where splashing is possible. Full face-shield to be

worn during emergencies.

**Skin and Body Protection** As needed to prevent repeated skin contact. Solvent resistant gloves should

be used if needed.

**Respiratory Protection** Not normally needed. During emergencies wear respirator.

**Hygiene Measures** Remove and wash contaminated clothing before re-use. Wash hands before

breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceRedOdorMild petroleum odorPhysical StateLiquidpHN/AFlash Point325°FAutoignition Temperature550°F

Flash Point 325°F Autoignition Temperature 550°F Boiling Point/Range n/a Freezing Point -50°F Explosion Limits N/A Flammability Limits in Air N/A

Specific Gravity0.857SolubilityNegligibleEvaporation RateN/AVapor PressureN/AVapor DensityN/ADensityN/A

## 10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

**Incompatible Products** Open Flame and strong oxidizing agents.

**Conditions to Avoid** Heat, flames, and sparks.

Hazardous Decomposition Products Decomposition and combustion products can yield carbon, nitrogen, sulfur,

phosphorus, and zinc oxides.

**Hazardous Polymerization**None under normal processing.

## 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity** 

**Product Information**Test on similar materials show a low order of acute oral and dermal toxicity.

Acute Oral Effects

Effects

Acute Inhalation

Effects Skin Effects Test on similar materials indicates low order of acute toxicity.

Low acute toxicity expected on inhalation.

Prolonged or repeated skin contact with this product tends to remove skin oils, possibly leading to irritation and dermatitis. This product is judged to be neither a "corrosive"

nor an "irritant" by OSHA criteria.

**Eye Irritation** Minimal irritation on contact. Eye irritation slightly or practically non-irritating base on

similar products.

**Component Information** 

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Severely Refined, Parafinic	Rat >5000 mg/kg		
Oil			
8042-47-5			

### **Chronic Toxicity**

**Chronic Toxicity** Prolonged exposure may cause chronic effects.

Carcinogenicity Not considered a potential carcinogen base on IP346 DMSO of less than 3.0 wt%

Target Organ Effects Respiratory system, Eyes, Skin,

**Genotoxicity** This product is considered non-mutagenic and has negative potential for tumor

development based on from Modified Ames Assay, with Mutagenic Index of less than

1.0.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** If applied to leaves, this product may kill grasses and small plants by interfering with

transpiration and respiration. This product is not toxic to fish but may coat gill structures resulting in suffocation if spilled in shallow, running water. Product may be moderately toxic to amphibians by preventing dermal respiration. This product may cause gastrointestinal distress to birds and mammals through ingestion during pelage

grooming.

Severely Refined,Parafinic Oil	>10 g/l (Lepomis macrochirus)	
8042-47-5		

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations. Keep this product out of sewers and

waterways.

**Contaminated Packaging** Dispose of in accordance with local regulations.

Chemical Name	ame RCRA – Halogenated RCRA – P Series RC Organic Compounds Wastes		RCRA – F Series Wastes	RCRA – K Series Wastes
	Does not meet	Does not meet	Does not meet	Does not meet
	hazardous waste	hazardous waste	hazardous waste	hazardous waste
	criteria	criteria	criteria	criteria

## 14. TRANSPORT INFORMATION

DOTNot regulatedIATANot regulated

IMDG/IMO Not regulated

## 15. REGULATORY INFORMATION

## **International Inventories**

	TSCA	DSL	EINECS/ELINCS	<b>ENCS</b>	IECSC	KECL	PICCS	AICS
Severely Refined, Parafinic Oil 8042-47-5	Present	Х	232-455-8	Х	Х	Х	Х	Х

#### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

### **Clean Water Act**

If spilled into navigable waters it is reportable to National Response Center, 800-424-8802. Reportable Quantity = Oil Sheen present on navigable water surface. (40 CFR 116; 401.15)

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **CERCLA**

## **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **Florida**

No listed ingredients are present

#### **Massachusetts RTK**

No listed ingredients are present

### Minnesota RTK

No listed ingredients are present

## **New Jersey RTK**

Lists petroleum oil, but this product does not contain hazardous ingredients.

### Pennsylvania RTK

Lists petroleum oil, but this product does not contain hazardous ingredients greater than 3%.

#### Illinois DOL TSL

No listed ingredients are present

### **International Regulations**

**Mexico – Grade** No information available.

Canada Not listed on the Canadian Controlled Product Ingredient Disclosure and is compliant with

Controlled Products Regulation

CONEG Metals Since cadmium, chromium, lead and mercury are not detectable and it does not exceed

100 ppm total in this product, it is compliant with CONEG Metals regulation.

**EEC (Europe)** This product is not known to be a dangerous good internationally.

No Known R-Phases or S-Phases Hazard Label None Danger Symbol None

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

### **WHMIS Hazard Class**

D2B Toxic materials

## **16. OTHER INFORMATION**

Prepared By Safety Department

Issuing Date 12/04/16

Revision Date none

Revision Note Not applicable

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**